




JT--Y/JH--Y/JG--Y







Material:

JT--Y Messing, hochfest + Gr

JT--Y high strength brass + Gr

JH--Y HT300 + Gr

JG--Y Stahl/steel + Gr



Katalog-Nr. / Catalog No.			W	L	T	I	I ₁	I ₂	W ₁	S	d
Bronze Bronze	Gusseisen / Cast Iron	Stahl / Steel									
JT10Y33-75	—	—	33	75	10	45	15	—	12.5	9	11
100				100		50					
125				125		75					
150				150		100					
200				200		75					
JT20Y52-150	JH20Y52-150	JG20Y52-150	52	150	20	50	25	—	20	13	13
200	200	200		200		75					
250	250	250		250		50					
JT30Y72-150	JH30Y72-150	JG30Y72-150	72	150	30	50		—	25	22	18
200	200	200		200		75					
250	250	250		250		50					
JT35Y77-150	JH35Y77-150	JG35Y77-150	77	150	35	50		—	25	27	
200	200	200		200		75					
250	250	250		250		50					
JT40Y82-150	JH40Y82-150	JG40Y82-150	82	150	40	50		—	25	32	
200	200	200		200		75					
250	250	250		250		50					
JT40Y105-150	JH40Y105-150	—	105	150	40	50		—	25		
200	200			200		75					
250	250			250		250		50			

Bestellnummer / Order Number




Bestellung
Order


Katalog-Nr. / Catalog No.

L

JT 20Y52


150



JF--YB/JG--YB/JT--YB


Material:
JF--YB Gusseisen
JG--YB Stahl
JT--YB Bronze

Material:
JF--YB Cast Iron
JG--YB Steel
JT--YB Bronze



Katalog-Nr. / Catalog No.			W	L	T	W ₂	W ₁	I ₁	I ₂	I ₃	I ₄	d	Bohrungen / holes
JF25YB70-160	JG25YB70-160	JT25YB70-160	70	160	25	25	50	135	25	/	/	18	2
JF25YB70-200	JG25YB70-200	JT25YB70-200		200				175	100	25	/		3
JF25YB70-240	JG25YB70-240	JT25YB70-240		240				210	120	30	/		
JF28YB85-75	JG28YB85-75	JT28YB85-75	85	75	28	30	60	57.5	17.5	/	/	18	2
JF28YB85-100	JG28YB85-100	JT28YB85-100		100				75	25	/	/		
JF28YB85-125	JG28YB85-125	JT28YB85-125		125				100	25	/	/		
JF28YB85-150	JG28YB85-150	JT28YB85-150		150				125	75	25	/	22	3
JF28YB85-200	JG28YB85-200	JT28YB85-200		200				175	100	25	/		
JF28YB85-240	JG28YB85-240	JT28YB85-240		240				210	120	30	/		
JF28YB85-250	JG28YB85-250	JT28YB85-250		250				215	125	35	/	22	4
JF28YB85-300	JG28YB85-300	JT28YB85-300		300				270	190	110	30		
JF28YB85-350	JG28YB85-350	JT28YB85-350		350				310	220	130	40		
JF28YB85-400	JG28YB85-400	JT28YB85-400		400				365	255	145	35	22	4
JF28YB100-200	JG28YB100-200	JT28YB100-200	100	200	28	30	70	175	100	25	/		
JF28YB100-240	JG28YB100-240	JT28YB100-240		240				210	120	30	/		
JF28YB100-300	JG28YB100-300	JT28YB100-300		300				270	190	110	30		
JF28YB100-350	JG28YB100-350	JT28YB100-350		350				310	220	130	40		


Bestellnummer / Order Number

	Bestellung	Katalog-Nr. / Catalog No.	-	L
	Order	JF 28YB85	-	125






EG--Y



Material: Stahl

Material: Steel



Katalog-Nr. / Catalog No.	W	L	I ₁	I ₂	I ₃	W ₁	T	D	S	Bohrungen / Holes
EG15Y50-100	50	100	/	75	25	12.5	15	14	25	2
EG15Y50-150	50	150	/	125	25	12.5	15	14	25	2
EG15Y50-200	50	200	100	175	25	12.5	15	14	25	3
EG20Y65-100	65	100	/	75	25	17.5	20	14	35	2
EG20Y65-150	65	150	/	125	25	17.5	20	14	35	2
EG20Y65-200	65	200	100	175	25	17.5	20	14	35	3
EG25Y70-100	70	100	/	75	25	20	25	18	35	2
EG25Y70-150	70	150	/	125	25	20	25	18	35	2
EG25Y70-200	70	200	100	175	25	20	25	18	35	3
EG27Y85-100	85	100	/	68	32	17.5	27	18	35	2
EG27Y85-150	85	150	/	113	37	17.5	27	18	35	2
EG27Y85-200	85	200	100	158	42	17.5	27	18	35	3

Bestellnummer / Order Number



Bestellung
Order

Katalog-Nr. / Catalog No.


- L

EG 15Y65

- 200



NG--Y/NG--YN



Material:
Stahl, Graphiteinsätze

Material:
Steel Graphite Plugs

NG--YN ohne Schraubenbohrungen
NG--YN No bolt holes

Katalog-Nr. / Catalog No.	W	L	Bohrungen / holes	I ₁	I ₂	I ₃	I ₄	W ₁	W ₂
NG30Y100-200	100	200	3	100	—	—	175	85	55
NG30Y100-250		250	4	90	—	160	225		
NG30Y100-315		315	5	90	157	225	290		
NG30Y100-350		350		100	175	250	325		
NG30Y100-400		400		115	200	285	375		
NG30Y100-450		450		125	225	325	425		
NG30Y125-200	125	200	3	100	—	—	175	105	65
NG30Y125-250		250	4	90	—	160	225		
NG30Y125-315		315	5	90	157	225	290		
NG30Y125-350		350		100	175	250	325		
NG30Y125-400		400		115	200	285	375		
NG30Y125-450		450		125	225	325	425		
NG30Y150-200	150	200	3	100	—	—	175	130	
NG30Y150-250		250	4	90	—	160	225		
NG30Y150-315		315	5	90	157	225	290		
NG30Y150-350		350		100	175	250	325		
NG30Y150-400		400		115	200	285	375		
NG30Y150-450		450		125	225	325	425		

Bestellnummer / Order Number



Bestellung
Order

Katalog-Nr. / Catalog No.

- L


NG 30Y125

- 315






JG--D



Material: S45C
Härte: HRC55~
HF-Abschreckung


Material: S45C
Hardness: HRC55~
High-frequency queching



Katalog-Nr. / Catalog No.	W	L	l	l ₁	l ₂	a	b	d1	d2	T
JG--D	55	150	50	—	60	20	8	11	18	20
		200	75		110					
		250	75		160					
	80	150	50	—	50	25	21	13	20	35
		200	75		100					
		250	75		150					
	95	150	50	—	40	35	32	18	26	50
		200	75		90					
		250	75		140					

Hinweis: L=150-200 l 1=0, 3 Bohrungen
L=250 4 Bohrungen

Note: L=150-200 l 1=0,3 holes
L=250 4 holes



Bestellnummer / Order Number

Bestellung / Order

Katalog-Nr. / Catalog No. - W - L

JG20D - 55 - 150


JG35D

JG50D









JG35C




Material: S45C
Härte: HRC55~
HF-Abschreckung

Material: S45C
Hardness: HRC55~
High-frequency quenching

Schematische Darstellung
Diagrammatic drawing



w=110



Katalog-Nr. / Catalog No.	W	L	I
JG35C	60	150	50
		200	75
		250	100
	80	150	50
		200	75
		250	100
	110	150	100
		200	150
		250	200

Bestellnummer / Order Number

Bestellung
Order


Katalog-Nr. / Catalog No. - W - L

JG35C - 60 - 150






JT--E/JH--E



Material:
 JT--E Messing, hochfest + Gr
 JT--E high strength brass + Gr
 JH--E HT300 + Gr



Katalog-Nr. / Catalog No.		W	L	T	d	l	l ₁	
Bronze / Bronze	Gusseisen / Cast Iron							
—	JH25E25-75	25	75	25	11	45	—	
	100		100			50		
	125		125			75		
	150		150			100		
JT30E40-150	JH30E40-150	40	150	30	14	50	—	
200	200		200			75		
250	250		250				50	50
JT40E40-150	JH40E40-150		150			40	50	—
200	200	200	75	—				
250	250	250		50	50			
JT45E50-150	JH45E50-150	150	45	50	—			
200	200	200		75	—			
250	250	250			50	50		
JT55E50-150	JH55E50-150	150		55	50	—		
200	200	200	75		—			
250	250	250			50	50		
JT60E50-150	JH60E50-150	150	60		50	—		
200	200	200		75	—			
250	250	250			50	50		
JT70E50-150	JH70E50-150	150		70	50	—		
200	200	200	75		—			
250	250	250			50	50		

Bestellnummer / Order Number



Bestellung
Order

Katalog-Nr. / Catalog No.


ST60E50

L

150


L	l ₂	l ₃
150	50	50
200	75	62.5
250	125	62.5

JT--Y, JH--Y, JG--Y






EG40H



Material:
Stahl

Material:
Steel



Katalog-Nr. / Catalog No.	L	l ₁	l ₂	l ₃	l ₄	l ₅	l ₆
EG40H65-100	100	25	50	75	50	50	/
EG40H65-150	150	25	/	125	50	75	100
EG40H65-200	200	25	100	175	50	125	150

Bestellnummer / Order Number



Bestellung
Order

Katalog-Nr. / Catalog No.

- L


EG40H65

- 150





EG25F



Katalog-Nr. / Catalog No.	W	H	L	L ₁	L ₂	L ₃	L ₄	L ₅	L ₆	W ₁	A	B	D
EG25F40-100	25.5	40.6	100	25	/	75	50	50	/	12.5	13	6.6	1.5
EG25F40-150	25.5	40.6	150	25	/	125	50	75	100	12.5	13	6.6	1.5
EG25F40-200	25.5	40.6	200	25	100	175	50	125	150	12.5	13	6.6	1.5
EG35F55-100	35.5	55.6	100	25	/	75	50	50	/	17.5	18	9	3.5
EG35F55-150	35.5	55.6	150	25	/	125	50	75	100	17.5	18	9	3.5
EG35F55-200	35.5	55.6	200	25	100	175	50	125	150	17.5	18	9	3.5

Bestellnummer / Order Number

Bestellung
Order

Katalog-Nr. / Catalog No. - L

EG35F55 - 150

