


NG37LK50, NG45LK50, NG50LK50, NG60LK50



Katalog-Nr. / Catalog No.	BOHRUNGEN / HOLES (N)	L	A	B	C	D	E	F	H
		±0.25					±0.025		
NG37LK50-75	2	75	-	-	38	51	25	15	37
NG37LK50-100	2	100	-	-	63	76			
NG37LK50-150	3	150	-	63	113	126			
NG37LK50-200	4	200	63	113	163	176			
NG45LK50-75	2	75	-	-	38	51	32	15	45
NG45LK50-100	2	100	-	-	63	76			
NG45LK50-150	3	150	-	63	113	126			
NG45LK50-200	4	200	63	113	163	176			
NG50LK50-75	2	75	-	-	38	51	37	30	50
NG50LK50-100	2	100	-	-	63	76			
NG50LK50-150	3	150	-	63	113	126			
NG50LK50-200	4	200	63	113	163	176			
NG60LK50-100	2	100	-	-	63	76	48	30	60
NG60LK50-150	3	150	-	63	113	126			
NG60LK50-200	4	200	63	113	163	176			
NG60LK50-250	4	250	63	113	213	226			

Bestellnummer / Order Number

	Bestellung Order	Katalog-Nr. / Catalog No.	-	L
		NG 45LK50	-	150




NG50LK75, NG60LK75, NG70LK75



Material:
Stahl, Graphiteinsätze

Material:
Steel Graphite Plugs



Katalog-Nr. / Catalog No.	BOHRUNGEN / HOLES (N)	L	A	B	C	D	E	F	G	H	
		±0.25									±0.025
NG50LK75-100	2	100	-	-	-	65	74	35	25	50	
NG50LK75-125	3	125	49,5	-	-	90	99				
NG50LK75-150	3	150	62	-	-	115	124				
NG50LK75-200	4	200	62	-	112	165	174				
NG50LK75-225	5	225	62	99,5	137	190	199				
NG50LK75-250	5	250	62	112	162	215	224				
NG50LK75-300	5	300	62	137	212	265	274				
NG60LK75-100	2	100	-	-	-	65	74	40		25	60
NG60LK75-125	3	125	49,5	-	-	90	99				
NG60LK75-150	3	150	62	-	-	115	124				
NG60LK75-200	4	200	62	-	112	165	174				
NG60LK75-225	5	225	62	99,5	137	190	199				
NG60LK75-250	5	250	62	112	162	215	224				
NG60LK75-300	5	300	62	137	212	265	274				
NG70LK75-100	2	100	-	-	-	65	74	50	30		70
NG70LK75-125	3	125	49,5	-	-	90	99				
NG70LK75-150	3	150	62	-	-	115	124				
NG70LK75-200	4	200	62	-	112	165	174				
NG70LK75-225	5	225	62	99,5	137	190	199				
NG70LK75-250	5	250	62	112	162	215	224				
NG70LK75-300	5	300	62	137	212	265	274				

Bestellnummer / Order Number

Bestellung
Order

Katalog-Nr. / Catalog No.


L

NG 60LK75

100




NG80LK75, NG90LK75, NG100LK75



Material:
Stahl, Graphiteinsätze

Material:
Steel Graphite Plugs



Katalog-Nr. / Catalog No.	BOHRUNGEN / HOLES (N)	L	A	B	c	D	E	F	G	H
		±0.25					±0.025			
NG80LK75-100	2	100	-	-	-	65	74	55	35	80
NG80LK75-125	3	125	49,5	-	-	90	99			
NG80LK75-150	3	150	62	-	-	115	124			
NG80LK75-200	4	200	62	-	112	165	174			
NG80LK75-225	5	225	62	99,5	137	190	199			
NG80LK75-250	5	250	62	112	162	215	224			
NG80LK75-300	5	300	62	137	212	265	274			
NG90LK75-100	2	100	-	-	-	65	74	65	45	90
NG90LK75-125	3	125	49,5	-	-	90	99			
NG90LK75-150	3	150	62	-	-	115	124			
NG90LK75-200	4	200	62	-	112	165	174			
NG90LK75-225	5	225	62	99,5	137	190	199			
NG90LK75-250	5	250	62	112	162	215	224			
NG90LK75-300	5	300	62	137	212	265	274			
NG100LK75-100	2	100	-	-	-	65	74	75	100	
NG100LK75-125	3	125	49,5	-	-	90	99			
NG100LK75-150	3	150	62	-	-	115	124			
NG100LK75-200	4	200	62	-	112	165	174			
NG100LK75-225	5	225	62	99,5	137	190	199			
NG100LK75-250	5	250	62	112	162	215	224			
NG100LK75-300	5	300	62	137	212	265	274			

Bestellnummer / Order Number

Bestellung
Order

Katalog-Nr. / Catalog No.

L


NG 80LK75

300





4-XXXX-200



L ₂	L ₃	L ₄	L ₅	L ₆		Form	L ₁
20	60	-	-	-	2 x M8	C	100
	55	55	-		3 x M8		150
		50	55		4 x M8		200
	60	-	-		2 x M10	A	100
	55	55	-		3 x M10		150
		50	55		4 x M10		200
	70	70	70				250
	55	50	55			B	200
	70	70	70				250
	65	65	65		65		300
80	75	75	80	5 x M10	350		

Bestellnummer / Order Number

Bestellung / Order


Katalog-Nr. / Catalog No. - L₁ - Form - Typ

4 - 200 - B - 200





4-XXXX-201



a	b	c	e	f	g	h	d	Form	L
10	27,5	-	-	-	72,5	90	13	A	100
-					97,5	-			125
-					132,5	150			160
10	35	-	-	-	72,5	90	17	C	100
-					132,5	150			160
-					125	147,5			160
12,5	42,5	-	-	-	165	187,5	22	D	200
-					215	237,5			250
-					365	387,5			400
15	42,5	-	-	-	117,5	145	22	D	160
-					157,5	185			200
-					207,5	235			250
-	42,5	-	-	-	125	145	22	D	160
-					200	235			250
-					275	385			400

Bestellnummer / Order Number



Bestellung
Order

Katalog-Nr. / Catalog No.

4

L₁

200

Form

D


Typ

201





4-XXXXX-202



Form	L ₁ =500	L ₁ =605	L ₁ =1005
A	x	x	x
B	x	x	x
C	x	x	x
D	x	x	x
E	x	x	x
F	x	x	x

Bestellnummer / Order Number

Bestellung / Order: Katalog-Nr. / Catalog No. 4 - L₁ 0500 - Form D - Typ 202






4-XXXX-203

Material
Bronze (CuZn25Al5) mit Festschmierstoff

Material
Bronze (CuZn25Al5) with solid lubricant



L	b ₁	s ₁	b	s
205		5	15	12
605	5	7	20	17
				22
				27
	8	10	28	36
				46
				66
	12	22	40	66
		26		86

Bestellnummer / Order Number



Bestellung
Order

Katalog-Nr. / Catalog No.

4

b

28




s

36

Typ

203



4-XXXXX-204


Material
Bronze (CuZn25Al5) mit Festschmierstoff

Material
Bronze (CuZn25Al5) with solid lubricant

b	L	h	b ₁	b ₂	L ₁	L ₂	h ₁	h ₂	h ₃	d	d ₁	d ₂	d ₃	
16	50	11	5	9,5	34	14	4,0	5,7	-	5,5	10,0	5,0	-	2
	71				55	35								3
	90				74	54								
20	80	19	5	12,0	64	40	5,0	6,8	9,5	6,6	11,0	6,0	7,0	2
	100				84	60								3
	125				109	85								
25	100	31	6	15,5	80	50	6,0	9,0	19,0	9,0	15,0	8,0	9,0	2
	125				105	75								3
	160				140	110								
30	125	49	7	18,0	95	55	8,0	11,0	34,0	11,0	18,0	10,0	12,0	2
	160				130	90								3
	200				170	130								

Bestellnummer / Order Number

Bestellung Order	Katalog-Nr. / Catalog No.	-	b	-	L	-	Typ
	4	-	30	-	160	-	204

